

# Designed to perform and built to last.

## EASYMOUNT WIDE FORMAT SYSTEMS



RELIABILITY

QUALITY

PERFORMANCE

DESIGN

SPEED

INNOVATION

EASE

SUPPORT

Easymount® laminators are designed to perform and built to last.

Their advanced features allow you to laminate, mount and encapsulate too.

Designed in-house by Vivid, the Easymount® range gives your business extra capacity by allowing you to offer your customers a complete service that you previously had to outsource.



▲ EM-1600SH

# Easymount gives you the flexibility and versat

## Cost effectiveness

The versatility of Easymount® laminators makes them incredibly cost-effective, meaning you can now truly offer a one-stop shop for print and finishing.

The range includes everything from entry-level models for those still finishing jobs by hand, to professional heavy-duty models that will cope with every application all day, everyday.


## Lamination in depth, control in abundance

The range of Easymount® laminators covers every job you need.


As they're designed in-house by our experts, we can make sure that everything about them is aimed at helping you to do that job more efficiently, more cost-effectively and more reliably.



▲ EM-1600SH Rear View







### ◀ Get stuck in

You can apply more than just laminates – the Easymount® range allows you to also lay down application tapes and vinyls, removing the need for squeegeeing by hand.

The feed table also lifts up, making it easier to load rolls of material, increasing effectiveness and minimising hassle.

### ▶ Fingertip control

Our exclusive patented multilingual control panel is simple and very easy-to-use.

It's available in English, French, German, Spanish and Italian.

Anyone can use it with the minimum of training, and it allows you to take complete control.

Whatever you need, you can achieve with absolute accuracy, quickly and easily.



ility you need.



### ▶ Easymount by name, Easymount by nature

Designed for simple, high quality results in a matter of minutes with the minimum of fuss and training.

They're also extremely efficient – our patented pressure gauge handle ensures that you choose the correct setting every time quickly and easily.

Anyone can quickly operate an Easymount®.



### ▶ Covering every angle

When you are preparing a longer run, the optional take-up unit enables you to work with reel-to-reel lamination, saving time and making it more efficient, too.

“ My Easymount has transformed my business. I can finish the job when I’m ready, without having to call on a specialist finisher. ”


- large diameter rollers
- solid heavy duty construction
- magic eye safety feature

## Series quick selector

Model suffix - e.g. EM-1600 DH

Code	Maximum Film Width	Sign	Cold	Single Hot	Double Hot	SHW
EMS-650	650mm	S	-	-	-	-
EM-720	720mm	S	-	-	-	-
EM-880	880mm	S	-	-	-	-
EM-1200	1200mm	-	C	SH	DH	-
EM-1400	1400mm	S	C	SH	-	-
EM-1600	1600mm	S	C	SH	-	SHW *
EM-A1600	1600mm	-	-	SH	-	-
EM-1650	1650mm	-	-	-	DH	-
EM-2100	2100mm	-	-	SH	-	-

\* Independent heated rollers. Model not suitable for encapsulation.



## Specifications

	Sign	Sign	Sign Cold	Sign Hot	Cold	Single Hot	Air Single Hot	Double Hot	SHW
	650	720/880	1400/1600	1400/1600	1200/1400/1600	1200/1400/1600/2100	1600	1200/1650	1600
Laminating Speed (m/min)	5	3	5	5	6	6	10	3.9	6
Max Width (mm)	650	720/880	1420/1620	1420/1620	1200/1400/1600	1200/1400/1600/2100	1600	1200/1650	1600
Mounting Thickness (mm)	15	15	25	25	25	25	30	25	25
Roller Diameter (mm)	65	70	130	130	112/112/130	112/112/130/130	130	112/130	130
Warm-up Time (mins)	-	-	-	10	-	10	10	15	15
Hot Roller Heater System	-	-	-	Infrared	-	Int. Infrared	Int. Infrared	Int. Infrared	Int. Infrared
Laminating Temperature Range (°C)	-	-	-	0-45	-	0-60	0-60	0-130	0-130
Control Panel	LED	LED	LED	LED	Digital	Digital	Digital	Digital	Digital
Pressure Adjustment	Manual	Manual	Manual	Manual	Manual/Gauge	Manual/Gauge	Pneumatic	Man./Gauge	Man./Gauge
Film Core (mm)	77	77	77	77	77	77	77	77	77
Power Supply AC (V)	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240
Power Supply Required (Amps)	13	13	13	13	13	13	13	32	32
Power Consumption (W)	50	50	38	1000/1200	50	970/1310/1500/1800	1500	3950/5150	5000
Dimensions - Width (mm)	850	940/1100	1846/2046	1846/2046	1790/1990/2190	1790/1990/2190/2650	2190	1700/2170	1990
Dimensions - Depth x Height (mm)	300x470	650x1250	550x1365	550x1365	650x1255	650x1255	650x1255	785x1255	650x1255
Gross Machine Weight (kg)	33	65/75	136/156	136/156	185/210/245	185/210/245/280	245	270/365	205
Warranty	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year

“ Having our own laminator on-site is so much more cost-effective than outsourcing. ”

## Accessories

	Sign	Sign Cold / Hot	Cold	Single Hot	Air Single Hot	Double Hot	SHW
Additional Mandrels	-	•	•	•	•	•	•
Take-up Unit	-	S	•	•	•	•	•
Dust Cover	-	-	S	S	S	S	S

• Yes - No S Standard

FRESH CONTROL  
EFFECTIVENESS



▲ EM-880



▲ EM-S1600H

Catering for every taste ▶

The Easymount® range allows you to laminate a whole range of jobs you previously had to outsource. So you can laminate shop signs, exhibition stands, roll-up banners and vehicle wraps – you can even mount on Foamex board up to 25mm thickness – in-house with ease.



lity you need to get the job completed.



EASYMOUNT AIR - Award-Winning Wide Format Laminator in the U.S.

The patented technology within the Easymount Air uses one of the most advanced concepts ever seen in a wide format laminator.

Pneumatic air pressure controls the laminating rollers, allowing you to mount and laminate with incredible accuracy and speed.

The roller adjusts to the exact thickness and pressure required, giving faster production times. The pneumatic air allows the roller to float down; ensuring foam and soft fluted boards are not crushed. When the rollers achieve the correct board thickness, they can be locked in place to keep the required gap, making board feeding simple & quick.

Ideal for Sign makers and Print finishers for laminating posters, graphics and signs, mounting prints to boards and applying vinyls, tapes and adhesive films.



▲ EM-A1600SH



“ It’s true that Vivid provide excellent machines, but their supplies are also second to none. Whatever you need, they’ll get it to you. ”

- Boss® premium brand pressure sensitive range
- various finishes available:  
Gloss  
Crystal Matt  
Semi-Matt (lustre)  
Sandtex  
Anti-Graffiti
- 3" core
- 100m rolls

## BOSS pressure sensitive films

Film Finishes

Roll Width	Roll Length	Mount	Gloss	Crystal Matt	Flat Matt	Semi-Matt (lustre)	Sandtex	Anti-Graffiti
650mm	50m	•	•	•	•	•	-	-
880mm	100m	S	•	•	•	•	•	-
1040mm	100m	•	•	•	•	•	-	-
1300mm	100m	•	•	•	•	•	-	•
1370mm	100m	-	•	•	•	•	-	-
1520mm	50m	•	•	•	•	•	-	•

• Yes - No S Special order Non-exhaustive list. Consult us for full stock and availability.

### A cut above the rest ▶

Why waste film when we can provide you with custom rolls?

Our film supplies can be tailored – literally – to suit your specific needs with the ability to log cut bespoke roll widths to your specifications.



MATRIX LAMINATING SYSTEMS



EASYMOUNT WIDE FORMAT SYSTEMS



MAGNUM BINDING SYSTEMS



MAGNUM CREASING SYSTEMS



LINEA ENCAPSULATION SYSTEMS



PEAK POUCH LAMINATING SYSTEMS



TRIMFAST TRIMMING & CUTTING SYSTEMS



BOSS FILM SUPPLIES

Vivid design and manufacture a wide range of laminating systems, specialising in function, style and reliability.

For years, we have been leading the field with our innovative product development, successfully building our brands and customer relationships that help us to introduce unique products in the marketplace.

So if you're looking to improve your finishing, start by calling us.